

PDFBraindumps



Latest Pdf Braindumps	Top Certifications	Top Vendors
▶ LRP-614	▶ ISEB Certification	▶ ISEB
▶ BCABA	▶ OCE	▶ ASTQB
▶ JN0-740	▶ NVIDIA Certifications	▶ Aruba
▶ 250-405	▶ Network+	▶ Data Center Universit
▶ DS-200	▶ IBM Certified Integrat	▶ HRCI
▶ SDM_2002001040	▶ CCDH	▶ CIW
▶ ST0-250	▶ IBM Certified Advanc	▶ Patchlink
▶ H12-221	▶ eserver Certified Spe	▶ International Consorti
▶ M2180-716	▶ SAP-Certifications	▶ Acme-Packet
	▶ Network Appliance N	
	▶ HCNP	▶ Fortinet
	▶ IFPUG Certifications	▶ Ericsson
	▶ dotMobi Certification	▶ Liferay
	▶ SCMA	▶ Novell
	▶ MCSD	▶ Huawei
	▶ NCLP	▶ RSA
	▶ XMLMaster Certificat	▶ MYSQL
	▶ CS5	▶ ISM
	▶ CHA	▶ CheckPoint

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

Exam : **C-S4CAM-2111**

Title : SAP Certified Application Associate - SAP S/4HANA Cloud (public) - Enterprise Asset Management Implementation

Vendor : SAP

Version : DEMO

NO.1 Based on the SAP Activate methodology, which of the following tests are formal, and therefore must be documented during implementation? Note: There are 2 correct answers to this question.

- A. Unit test
- B. String test
- C. Integration test
- D. Business process test

Answer: C,D

NO.2 How are analytics capabilities built into SAP S/4HANA Cloud?

- A. They are embedded in the same technical stack as the application
- B. They are installed as an add-on to the application
- C. They are extended by the user to a dedicated SAP Fiori frontend server
- D. They are installed on a dedicated SAP Fiori frontend server

Answer: A

NO.3 You want to migrate asset management business objects to SAP S/4HANA Cloud. Which business role must be assigned to your user?

- A. Maintenance Supervisor
- B. Administrator
- C. Transportation Manager
- D. Maintenance Planner

Answer: B

NO.4 When configuring phase controls for maintenance orders, what steps do you need to perform?
Note:

There are 3 correct answers to this question.

- A. Maintain phase control codes for order headers only
- B. Assign phase control codes to an order type
- C. Define phase controls using the SSCUI
- D. Assign a user status profile to an order type
- E. Maintain phase control codes for order headers and operations

Answer: B,C,E

NO.5 Where can you assign a maintenance work center? Note: There are 2 correct answers to this question.

- A. Responsibilities of a functional location
- B. Task data of a malfunction report
- C. Object list of a maintenance order
- D. Item data of a maintenance plan

Answer: A,D

NO.6 Which types of datasets are required for predictive scenarios? Note: There are 2 correct answers to this question.

A. Training Dataset

B. Apply Dataset

C. Active Dataset

D. Testing Dataset

Answer: A,C