

PDFBraindumps



| Latest Pdf Braindumps | Top Certifications | Top Vendors |
|-----------------------|--------------------------|--------------------------|
| ▶ LRP-614 | ▶ ISEB Certification | ▶ ISEB |
| ▶ BCABA | ▶ OCE | ▶ ASTQB |
| ▶ JN0-740 | ▶ NVIDIA Certifications | ▶ Aruba |
| ▶ 250-405 | ▶ Network+ | ▶ Data Center Universit |
| ▶ DS-200 | ▶ IBM Certified Integrat | ▶ HRCI |
| ▶ SDM_2002001040 | ▶ CCDH | ▶ CIW |
| ▶ ST0-250 | ▶ IBM Certified Advanc | ▶ Patchlink |
| ▶ H12-221 | ▶ eserver Certified Spe | ▶ International Consorti |
| ▶ M2180-716 | ▶ SAP-Certifications | ▶ Acme-Packet |
| | ▶ Network Appliance N | |
| | ▶ HCNP | ▶ Fortinet |
| | ▶ IFPUG Certifications | ▶ Ericsson |
| | ▶ dotMobi Certification | ▶ Liferay |
| | ▶ SCMA | ▶ Novell |
| | ▶ MCSD | ▶ Huawei |
| | ▶ NCLP | ▶ RSA |
| | ▶ XMLMaster Certificat | ▶ MYSQL |
| | ▶ CS5 | ▶ ISM |
| | ▶ CHA | ▶ CheckPoint |

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

Exam : **CPSA**

Title : Card Production Security
Assessor (CPSA) Qualification
Exam

Vendor : PCI

Version : DEMO

NO.1 The vendor's technical documentation shows that the alarm system does not send alerts to the security control room. After a discussion you learn that the alarm works perfectly, and sends a clear signal to summon the local police every time an emergency exit is opened. Why might this cause a problem for their assessment?

- A.** During working hours, the alarm should be managed in the security control room, or by a central monitoring service
- B.** If the local police receive too many false-positive alerts, they may not respond within 15 minutes of the alarm
- C.** During busy times, the local police may not be able to respond
- D.** If the local police have not been issued with an exterior key, they will not be able to investigate the cause of the alarm and reset it

Answer: B

NO.2 In which of the following locations must the CCTV and access control servers be located?

- A.** Within the secure server room inside of the HSA
- B.** Within a room in the HSA with security controls equivalent to the SCR applied
- C.** Within the SCR or a room with equivalent security
- D.** Within the Security Control Room (SCR)

Answer: C

NO.3 A vendor's HSA access is enforced by a security turnstile they have a logical access-control system that ensures anti pass-back. The device is functioning correctly. When must the status of the access change?

- A.** Only when the person has successfully completed the access cycle
- B.** Upon initial presentation of an authorised badge, prior to completion of the access cycle
- C.** Only when an unauthorised badge is presented
- D.** Upon initial entry of the person into the device, prior to completion of the access cycle

Answer: B

NO.4 Which of the following principles must be enforced by the HSA Access Control system?

- A.** Dual control and dual presence
- B.** Dual guard entry when required
- C.** Dual presence
- D.** Dual control

Answer: A

NO.5 Which of the following must every assessor do to maintain their CPSA certification?

- A.** Earn an additional professional certification from List A or B of the Qualification Requirements (QRs)
- B.** Complete annual requalification training or complete 3 assessments for different facilities each year
- C.** Submit evidence of internal training in a relevant area (as per the QRs)
- D.** Earn and document at least 20 hours of Continuing Professional Education (CPE) over 3 years

Answer: D